

Plissé Shades

Uniquely decorative,
with a shape that
suits your style





Symbols

Price group

) 1 2 3 4

Z Transparent

X Semi-transparent

C Translucent

V RoomDarkening

PES Polyester

VI Viscose

TREVIRA CS Trevira CS



Material made of recycled resources

h Handwashable30°

S Cleanwitha sponge

B Cleanwith a softbrush



OEKO-TEX®100certified



Halogen free



PVC-free



Fabric width



Suitable for humid rooms



Flameretardant



Antistatic

Topand bottom rail colour coordinated



Chi White
comparable to RAL 9010/16



Magnolia
RAL 9001



Bronze Brown
comparable to RAL 8019



Brushed Silver
comparable to RAL 9006



Metal Gray
comparable to RAL 9007



Black Satin
RAL 9005



Scan the QR code for more information.



The Art of Window Styling


luxaflex.com



h



32 mm



8027 -32 mm
Yazoo

100% PES X 235 1 CW



8026 -32 mm
Yazoo

100% PES X 235 1 CW



6128 -32 mm 6154 -20 mm
Olivite Sheer D

100% PES Z 235 2 BB



6129 -32 mm 6155 -20 mm
Olivite Sheer D

100% PES Z 235 2 BB




6130 -32 mm 6156 -20 mm
Olivite Sheer D

100% PES Z 235 2 BB




6120-32 mm 1864-20 mm
Luna Sheer D

100% PES 235)



6605-32 mm 6600-20 mm
Furore D FR

100% TREVIRA CS 295 1




6121-32 mm 6141-20 mm
Luna Sheer D

100% PES 235)



6608-32 mm 6603-20 mm
Furore D FR

100% TREVIRA CS 295 1




6122-32 mm 1865-20 mm
Luna Sheer D

100% PES 235)



6609-32 mm 6604-20 mm
Furore D FR

100% TREVIRA CS 295 1




6123-32 mm 6143-20 mm
Luna Sheer D

100% PES 235)



6126-32 mm 6147-20 mm
Furore D FR


100% TREVIRA CS 295 1



6607-32 mm 6602-20 mm
Furore D FR

100% TREVIRA CS 295 1






8028-32 mm 8041-20 mm

Lazio


100% PES Z 235 2 CW



8030-32 mm 8043-20 mm

Lazio

100% PES Z 235 2 MG



8029-32 mm 8042-20 mm

Lazio


100% PES Z 235 2 BR



8021-32 mm 8044-20 mm

Sora

100% PES X 235 1 CW



8024-32 mm 8047-20 mm

Sora

100% PES X 235 1 CW



8023-32 mm 8046-20 mm

Sora


100% PES X 235 1 CW



8022-32 mm 8045-20 mm

Sora



100% PES X 235 1 MA



8025-32 mm 8048-20 mm

Sora

100% PES X 235 1 MA




8093 -32 mm
Lima D

100% PES 220 4 CW



8092 -32 mm
Tumba D

100% PES 220 4 CW



6111-32 mm 4303-20 mm
Essentials D

100% PES 220 1 CW



6112-32 mm 6090-20 mm
Essentials D

100% PES 220 1 MA



6113-32 mm 6092-20 mm
Essentials D

100% PES 220 1 CW



8020-32 mm 8004-20 mm
Essentials D

100% PES 220 1 CW




8019-32 mm 8003-20 mm
Essentials D

100% PES 220 1 BR



6114-32 mm 1820-20 mm
Essentials D

100% PES 220 1 MG



6115-32 mm 6094-20 mm
Essentials D

100% PES 220 1 BB

20 mm
Z

20 mm
N



8066 -20 mm
Andria

100% PES 235 2 CW

8038 -20 mm
Genova

100% PES 235 2 CW

1866 -20 mm
Moana Sheer

100% PES 190 1 CW

2267 -20 mm
Leaves Sheer

100% PES 190 2 CW

1864 -20 mm 6120 -32 mm
Luna Sheer D

100% PES 235 1 CW

4361 -20 mm
Scenic Sheer

100% PES 230 1 CW

8041 -20 mm 8028 -32 mm
Lazlo

100% PES 235 2 CW

8000 -20 mm
Melby

100% PES 235 1 CW

6600 -20 mm 6605 -32 mm
Furore D FR

100% TREVIRA CS 295 1 V CW

0748 -20 mm
Movements Sheer

100% PES 195 2 CW





8070 -20 mm
Andria

100% PES 235 2 MA

8039 -20 mm
Genova

100% PES 235 2 BR

6603 -20 mm 6608 -32 mm
Furore D FR

100% TREVIRACS 295 1 V MA

1865 -20 mm 6122 -32 mm
Luna Sheer D

100% PES 235) V CW

6141 -20 mm 6121 -32 mm
Luna Sheer D

100% PES 235) V MA

6144 -20 mm
Luna Sheer D

100% PES 235) V CW


Z



h







6604 -20 mm 6609 -32 mm
Furore D FR

100% TREVIRA CS 295 1  V 



6145 -20 mm
Luna Sheer D

100% PES 235)  



8043 -20 mm 8030 -32 mm
Lazio

100% PES 235 2 



6155 -20 mm 6129 -32 mm
Olivite Sheer D

100% PES 235 2  



6157 -20 mm
Olivite Sheer D

100% PES 235 2  

Z



h



Z



h



6154 -20 mm 6128 -32 mm
Olivite Sheer D

100% PES 235 2 BR



8042 -20 mm 8029 -32 mm
Lazlo

100% PES 235 2 BR



2230 -20 mm
Scenic Sheer

100% PES 230 1 MG



6142 -20 mm
Luna Sheer D

100% PES 235) BR



8002 -20 mm
Melby

100% PES 235) BR



6147 -20 mm 6126 -32 mm
Furore D FR

100% TREVIRA CS 295 1 V MG



8040 -20 mm
Genova

100% PES 235 2 BR



8067 -20 mm
Andria

100% PES 235 2 BR

Z



h




8068 -20 mm
Andria

100% PES 235 2 MC



6143 -20 mm 6123 -32 mm
Luna Sheer D

100% PES 235 CERT-TEST STANDARD 100 1 V MG



6602 -20 mm 6607 -32 mm
Furore D FR

100% TREVIRA CS 295 CERT-TEST STANDARD 100 1 V MG



8037 -20 mm
Furore D FR

100% TREVIRA CS 295 CERT-TEST STANDARD 100 1 V MG



0714 -20 mm
Scenic Sheer

100% PES 230 CERT-TEST STANDARD 100 1 MC



8001 -20 mm
Melby

100% PES 235) V BS




Duette®9445 /Plisse 8001





8069




8069 -20 mm
Andria

100% PES 235 2 MG



6156 -20 mm 6130 -32 mm
Olivite Sheer D

100% PES 235 2 BB



6158 -20 mm
Olivite Sheer D

100% PES 235 2 CW


Z



h







100 cm

100 cm



8087 -20 mm
Dreamer Sheer

100% PES 230 3 (MG)




8086 -20 mm
Dreamer Sheer

100% PES 230 3 (MG)



8085 -20 mm
Dreamer Sheer

100% PES 230 3 (MG)



8084 -20 mm
Imre Sheer

100% PES 230 3 (CW)

X



X





8081 -20 mm
Tupelo

100% PES 235 1 h CW

8049 -20 mm
Chamois

100% PES 235) h CW

8077 -20 mm
Feathers

100% PES 235 1 h CW

8079 -20 mm
Lenotex

100% PES 235 1 h CW

0756 -20 mm
Crêpe

100% PES 235) h CW

6150 -20 mm
Noble D FR

100% TREVIRA CS 220 2 h V CW

1851 -20 mm
Base

53% PES /47% Vi 195) S CW

0720 -20 mm
Crêpe

100% PES 235) h CW

6159 -20 mm
Elane

100% PES 210 1 h CW

4372 -20 mm
Eco D

100% PES 235) h CW

X



h



8075 -20 mm
Brodie Oslo

100% PES 235 2 CW

8073 -20 mm
Brodie Skimmia

100% PES 235 2 CW

8044 -20 mm 8021 -32 mm
Stora

100% PES 235 1 CW

8047 -20 mm 8024 -32 mm
Stora

100% PES 235 1 MA

0722 -20 mm
Crêpe

100% PES 235) MA

6162 -20 mm
Elane

100% PES 210 1 MA

0721 -20 mm
Crêpe

100% PES 235) MA

8018 -20 mm
Crêpe

100% PES 235) MC

8050 -20 mm
Chamois

100% PES 235) CW



8048 -20 mm 8025 -32 mm
Stora

100% PES 235 1 MA



8045 -20 mm 8022 -32 mm
Stora

100% PES 235 1 MA



8054 -20 mm
Chamois

100% PES 235) MA



8063 -20 mm
Structo

100% PES 235 1 MA



8078 -20 mm
Feathers

100% PES 235 1 MA



0725 -20 mm
Crêpe

100% PES 235) BR



4374 -20 mm
Eco D

100% PES 235) MA



6161 -20 mm
Elane


100% PES 210 1 MG



0733 -20 mm
Crêpe

100% PES 235) 88





6151 -20 mm

Noble D FR


100% TREVIRA CS

220

2



V



1846 -20 mm

Eco D

100% PES

235

)



8076 -20 mm

Brodie Oslo

100% PES

235

2



8074 -20 mm

Brodie Skimmia

100% PES

235

2




X



h








8071 -20 mm
Blues

100% PES 235 1 h CW




8046 -20 mm 8023 -32 mm
Stora

100% PES 235 1 h CW



8080 -20 mm
Lenotex

100% PES 235 1 h CW



1852 -20 mm
Base

53% PES / 47% VI 195) s BR



8065 -20 mm
Structo

100% PES 235 1 h MG



8064 -20 mm
Ombre Structo

100% PES 235 2 h MG





h




8072 -20 mm
Blues

100% PES 235 1 CW



0724 -20 mm
Crêpe

100% PES 235 BR



0726 -20 mm
Crêpe

100% PES 235 MC




6152 -20 mm
Noble D FR

100% TREVIRACS 220 2 V MC




6185 -20 mm
Crêpe

100% PES 235 MC



0727 -20 mm
Crêpe

100% PES 235 MC



0729 -20 mm
Crêpe

100% PES 235 BS



8051 -20 mm
Chamois

100% PES 235 MC





8055 -20 mm
Chamois

100% PES 235) CW



8053 -20 mm
Chamois

100% PES 235) CW



8015 -20 mm
Crêpe

100% PES 235) CW



8017 -20 mm
Crêpe

100% PES 235) CW



0738 -20 mm
Crêpe

100% PES 235) CW



8016 -20 mm
Crêpe

100% PES 235) CW



8052 -20 mm
Chamois

100% PES 235) MC



8014 -20 mm
Crêpe


100% PES 235) MC



0731 -20 mm
Crêpe

100% PES 235) CW





6137 -20 mm
Revival

100% recycled PET 235 1 



6139 -20 mm
Revival

100% recycled PET 235 1 



6138 -20 mm
Revival

100% recycled PET 235 1 



8036 -20 mm
Revival

100% recycled PET 235 1 



C

C



6149



6149



C



6149 -20 mm
Precious

100% PES 235 2 h CW

8056 -20 mm
Tazzlo T Plus

100% PES 233 2 h  

8057 -20 mm
Tazzlo T Plus

100% PES 233 2 h  

6095 -20 mm
Opal Crush T Plus

100% PES 215 2 h  

4303 -20 mm 6111 -32 mm
Essentials D

100% PES 220 1 h  

4445 -20 mm
Meridian Jacquard

100% PES 195 1 h 

4330 -20 mm
Opal Crush T Plus

100% PES 215 2 h  

4319 -20 mm
Opal T Plus

100% PES 235 1 h  

1859 -20 mm
Elegance

100% PES 215 2 s 

4331 -20 mm
Opal Crush T Plus

100% PES 215 2 h  

4304 -20 mm
Essentials D

100% PES 220 1 h  

8005 -20 mm
Essentials D

100% PES 220 1 h  

6090 -20 mm 6112 -32 mm
Essentials D

100% PES 220 1 h  



8058 -20 mm
Tazzlo T Plus

100% PES 233 2 h  

4444 -20 mm
Meridian Jacquard

100% PES 195 1 h 

8006 -20 mm
Essentials D

100% PES 220 1 h  

4334 -20 mm
Opal Crush T Plus

100% PES 215 2 h  

1825 -20 mm
Essentials D

100% PES 220 1 h  

8062 -20 mm
Tazzlo T Plus

100% PES 233 2 h  

1838 -20 mm
Elegance

100% PES 215 2 s 

2223 -20 mm
Opal Crush T Plus

100% PES 215 2 h  

6092 -20 mm 6113 -32 mm
Essentials D

100% PES 220 1 h  


6180 -20 mm
Opal Crush T Plus

100% PES 215 2 h  


0815 -20 mm
Opal Crush T Plus

100% PES 215 2 h  





4336 -20 mm
Opal Crush T Plus 100% PES 215 2 h  




1860 -20 mm
Elegance 100% PES 215 2 s 




1836 -20 mm
Elegance 100% PES 215 2 s 



6091 -20 mm
Essentials D 100% PES 220 1 h  




8012 -20 mm
Opal Crush T Plus 100% PES 215 2 h  




6099 -20 mm
Opal T Plus 100% PES 235 1 h  




6097 -20 mm
Opal Crush T Plus 100% PES 215 2 h  



1820 -20 mm 6114 -32 mm
Essentials D 100% PES 220 1 h  



8060 -20 mm
Tazzlo T Plus 100% PES 233 2 h  



8059 -20 mm
Tazzlo T Plus 100% PES 233 2 h  




6094 -20 mm 6115 -32 mm
Essentials D 100% PES 220 1 h  




0680 -20 mm
Opal Crush T FR 100% PES 215 2 h  





8032 -20 mm
Opal Crush T FR 100% PES 215 2 V CW



1567 -20 mm
Essentials D 100% PES 220 1 CW



8011 -20 mm
Opal Crush T Plus 100% PES 215 2 CW



8010 -20 mm
Opal Crush T Plus 100% PES 215 2 CW



2224 -20 mm
Opal Crush T Plus 100% PES 215 2 CW



2235 -20 mm
Opal Crush T Plus 100% PES 215 2 CW



4306 -20 mm
Essentials D 100% PES 220 1 CW



4305 -20 mm
Essentials D 100% PES 220 1 CW



8013 -20 mm
Opal Crush T Plus 100% PES 215 2 BR



8003 -20 mm 8019 -32 mm
Essentials D 100% PES 220 1 BR



8061 -20 mm
Tazzio T Plus 100% PES 233 2 MC



1565 -20 mm
Essentials D 100% PES 220 1 CW




8008 -20 mm
Opal Crush T Plus 100% PES 215 2 MC




8004 -20 mm 8020 -32 mm
Essentials D 100% PES 220 1 CW



8007 -20 mm
Opal Crush T Plus 100% PES 215 2 CW




8009 -20 mm
Opal Crush T Plus 100% PES 215 2 CW



6096 -20 mm
Opal Crush T Plus 100% PES 215 2 BR





204 cm

120 cm



8082 -20 mm
Ombre T

100% PES 230 3  CW

8083 -20 mm
Ombre T

100% PES 230 3  CW

6178 -20 mm
Ombre T

100% PES 230 3  CW







8088 -20 mm
Magnolia D

100% PES 220 4  



8089 -20 mm
Rosello D

100% PES 220 4  



100 cm

100 cm



100 cm

100 cm




100 cm

100 cm



100 cm

100 cm



100 cm

100 cm



6169 -20 mm
Aquarel T

100% PES 230 3  



8090 -20 mm
Carmel D


100% PES 220 4  



8091 -20 mm
Juno D

100% PES 220 4  






2299 -20 mm
 Leaves

100% PES 190 2 CW



0754 -20 mm
 Icon

100% PES 195 2 CW



2298 -20 mm
 Leaves

100% PES 190 2 CW



0747 -20 mm
 Movements

100% PES 235 2 BS



0677 -20 mm
 Icon

100% PES 195 2 MG



2290 -20 mm
 Moana Gloss

100% PES 190 2 MG



V



S



6133 -20 mm
Dawn DimOut

100% PES 205 2 CW

6136 -20 mm
Dawn DimOut

100% PES 205 2 CW

6134 -20 mm
Dawn DimOut

100% PES 205 2 MG

6135 -20 mm
Dawn DimOut

100% PES 205 2 BS

8034 -20 mm
Dawn DimOut

100% PES 205 2 CW

8035 -20 mm
Dawn DimOut

100% PES 205 2 CW

8033 -20 mm
Dawn DimOut

100% PES 205 2 CW





B



4410 -20 mm
Sheer Metal FR

100% TREVIRA CS 230 1 z V BR



4420 -20 mm
Opal Metal FR

100% TREVIRA CS 230 1 c V BR



4408 -20 mm
Sheer Metal FR

100% TREVIRA CS 230 1 z V BR



4418 -20 mm
Opal Metal FR

100% TREVIRA CS 230 1 c V BR



4407 -20 mm
Sheer Metal FR

100% TREVIRA CS 230 1 z V BR



4417 -20 mm
Opal Metal FR

100% TREVIRA CS 230 1 c V BR




4406 -20 mm
Sheer Metal FR

100% TREVIRA CS 230 1 z V BR



4416 -20 mm
Opal Metal FR

100% TREVIRA CS 230 1 c V BR




4409 -20 mm
Sheer Metal FR

100% TREVIRA CS 230 1 z V BR



4419 -20 mm
Opal Metal FR

100% TREVIRA CS 230 1 c V BR



6126 -32 mm 6147 -20 mm
Furore D FR

100% TREVIRA CS 295 1 z  V 




6607 -32 mm 6602 -20 mm
Furore D FR

100% TREVIRA CS 295 1 z  V 



6605 -32 mm 6600 -20 mm
Furore D FR

100% TREVIRA CS 295 1 z  V 



6608 -32 mm 6603 -20 mm
Furore D FR

100% TREVIRA CS 295 1 z  V 




6609 -32 mm 6604 -20 mm
Furore D FR

100% TREVIRA CS 295 1 z  V 



4425 -20 mm
Panorama FR

100% TREVIRA CS 195 1 z V 



6150 -20 mm
Noble D FR

100% TREVIRA CS 220 2 x  V 



4426 -20 mm
Panorama FR

100% TREVIRA CS 195 1 z V 




6151 -20 mm
Noble D FR

100% TREVIRA CS 220 2 x  V 



4427 -20 mm
Panorama FR

100% TREVIRA CS 195 1 z V 



6152 -20 mm
Noble D FR

100% TREVIRA CS 220 2 x  V 



9000 -20 mm
Opal Crush T FR 100% PES 215 2 V CW

9001 -20 mm
Opal Crush T FR 100% PES 215 2 V MA

9002 -20 mm
Opal Crush T FR 100% PES $\frac{215}{2}$ V  

9003 -20 mm
Opal Crush T FR 100% PES $\frac{215}{2}$  V 

0680 -20 mm
Opal Crush T FR 100% PES 215 2 V BS

9004 -20 mm
Opal Crush T FR 100% PES 215 2 V CW

9006 -20 mm
Opal Crush T FR 100% PES $\frac{215}{2}$ V CW

9005 -20 mm
Opal Crush T FR 100% PES 215 2 V CW


2219 -20 mm
Opal Crush T FR 100% PES 215 2 V CW

8032 -20 mm
Opal Crush T FR 100% PES 215 2 V CW


C




h




9600 -20 mm
Circe T FR 100% PES 235 1 V CW



4436 -20 mm
Helios T FR 100% PES 225 2 V CW



9601 -20 mm
Circe T FR 100% PES 235 1 V MA



4438 -20 mm
Helios T FR 100% PES 225 2 V MA



9605 -20 mm
Circe T FR 100% PES 235 1 V MA




1818 -20 mm
Helios T FR 100% PES 225 2 V MA



9606 -20 mm
Circe T FR 100% PES 235 1 V BB




9609 -20 mm
Helios T FR 100% PES 225 2 V BB




9602 -20 mm
Circe T FR 100% PES 235 1 V BR



4439 -20 mm
Helios T FR 100% PES 225 2 V BR



9604 -20 mm
Circe T FR 100% PES 235 1 V MG



1817 -20 mm
Helios T FR 100% PES 225 2 V MG



9603 -20 mm
Circe T FR 100% PES 235 1 V MG



1819 -20 mm
Helios T FR 100% PES 225 2 V BS

At Luxaflex® our window treatments start with great **design**. Light control, energy efficiency, and the **convenience** of motorisation are just some of the **innovations** that enhance the **beauty** of every room, every day – **made to measure** with a five-year guarantee.

The Art of Window Styling

